

Cabinete, cadru rack-uri, open rack-uri, panouri si accesorii sistem 19" si sistem 21"

Cabinete 19" - montaj de perete - Serie - simpla sectiune - acces fata si lateral	
D-06-64-FL	Cabinet 19" / 6 U / 600 x 400 mm
D-06-66-FL	Cabinet 19" / 6 U / 600 x 600 mm
D-10-66-FL	Cabinet 19" / 10 U / 600 x 600 mm
D-12-66-FL	Cabinet 19" / 12 U / 600 x 600 mm
D-15-66-FL	Cabinet 19" / 15 U / 600 x 600 mm
Serie - simpla sectiune - acces fata	
D-06-65-F	Cabinet 19" / 6 U / 600 x 500 mm
D-10-65-F	Cabinet 19" / 10 U / 600 x 500 mm
D-12-65-F	Cabinet 19" / 12 U / 600 x 500 mm
D-15-65-F	Cabinet 19" / 15 U / 600 x 500 mm
Serie - dubla sectiune - acces fata si spate	
D-06-66-FS	Cabinet 19" / 6 U / 600 x 600 mm
D-10-66-FS	Cabinet 19" / 10 U / 600 x 600 mm
D-12-66-FS	Cabinet 19" / 12 U / 600 x 600 mm
D-15-66-FS	Cabinet 19" / 15 U / 600 x 600 mm
D-06-67-FS	Cabinet 19" / 6 U / 600 x 700 mm
D-10-67-FS	Cabinet 19" / 10 U / 600 x 700 mm
D-12-67-FS	Cabinet 19" / 12 U / 600 x 700 mm
D-15-67-FS	Cabinet 19" / 15 U / 600 x 700 mm
Cabinete 19" -montaj de pardoseala - Serie universala - acces fata, spate si lateral	
D-20-66	Cabinet 19" / 20 U / 600 x 600 mm
D-24-66	Cabinet 19" / 24 U / 600 x 600 mm
D-27-66	Cabinet 19" / 27 U / 600 x 600 mm
D-30-66	Cabinet 19" / 30 U / 600 x 600 mm
D-33-66	Cabinet 19" / 33 U / 600 x 600 mm
D-36-66	Cabinet 19" / 36 U / 600 x 600 mm
D-42-66	Cabinet 19" / 42 U / 600 x 600 mm
D-45-66	Cabinet 19" / 45 U / 600 x 600 mm
D-47-66	Cabinet 19" / 47 U / 600 x 600 mm
D-20-68	Cabinet 19" / 20 U / 600 x 800 mm
D-24-68	Cabinet 19" / 24 U / 600 x 800 mm
D-27-68	Cabinet 19" / 27 U / 600 x 800 mm
D-30-68	Cabinet 19" / 30 U / 600 x 800 mm
D-33-68	Cabinet 19" / 33 U / 600 x 800 mm
D-36-68	Cabinet 19" / 36 U / 600 x 800 mm
D-42-68	Cabinet 19" / 42 U / 600 x 800 mm
D-45-68	Cabinet 19" / 45 U / 600 x 800 mm
D-47-68	Cabinet 19" / 47 U / 600 x 800 mm
D-20-610	Cabinet 19" / 20 U / 600 x 1000 mm
D-24-610	Cabinet 19" / 24 U / 600 x 1000 mm
D-27-610	Cabinet 19" / 27 U / 600 x 1000 mm
D-30-610	Cabinet 19" / 30 U / 600 x 1000 mm
D-33-610	Cabinet 19" / 33 U / 600 x 1000 mm
D-36-610	Cabinet 19" / 36 U / 600 x 1000 mm
D-42-610	Cabinet 19" / 42 U / 600 x 1000 mm
D-45-610	Cabinet 19" / 45 U / 600 x 1000 mm
D-47-610	Cabinet 19" / 47 U / 600 x 1000 mm
D-20-78	Cabinet 19" / 20 U / 700 x 800 mm

D-24-78	Cabinet 19" / 24 U / 700 x 800 mm
D-27-78	Cabinet 19" / 27 U / 700 x 800 mm
D-30-78	Cabinet 19" / 30 U / 700 x 800 mm
D-33-78	Cabinet 19" / 33 U / 700 x 800 mm
D-36-78	Cabinet 19" / 36 U / 700 x 800 mm
D-42-78	Cabinet 19" / 42 U / 700 x 800 mm
D-45-78	Cabinet 19" / 45 U / 700 x 800 mm
D-47-78	Cabinet 19" / 47 U / 700 x 800 mm
D-20-88	Cabinet 19" / 20 U / 800 x 800 mm
D-24-88	Cabinet 19" / 24 U / 800 x 800 mm
D-27-88	Cabinet 19" / 27 U / 800 x 800 mm
D-30-88	Cabinet 19" / 30 U / 800 x 800 mm
D-33-88	Cabinet 19" / 33 U / 800 x 800 mm
D-36-88	Cabinet 19" / 36 U / 800 x 800 mm
D-42-88	Cabinet 19" / 42 U / 800 x 800 mm
D-45-88	Cabinet 19" / 45 U / 800 x 800 mm
D-47-88	Cabinet 19" / 47 U / 800 x 800 mm
D-20-810	Cabinet 19" / 20 U / 800 x 1000 mm
D-24-810	Cabinet 19" / 24 U / 800 x 1000 mm
D-27-810	Cabinet 19" / 27 U / 800 x 1000 mm
D-30-810	Cabinet 19" / 30 U / 800 x 1000 mm
D-33-810	Cabinet 19" / 33 U / 800 x 1000 mm
D-36-810	Cabinet 19" / 36 U / 800 x 1000 mm
D-42-810	Cabinet 19" / 42 U / 800 x 1000 mm
D-45-810	Cabinet 19" / 45 U / 800 x 1000 mm
D-47-810	Cabinet 19" / 47 U / 800 x 1000 mm

Cadru rack 19" - montaj de perete

CG-03-64	Cadru rack 19" / 3 U / 600 x 400 mm
CG-06-64	Cadru rack 19" / 6 U / 600 x 400 mm
CG-10-64	Cadru rack 19" / 10 U / 600 x 400 mm
CG-10-66	Cadru rack 19" / 10 U / 600 x 600 mm

**Cadru rack 19" -montaj de pardoseala -
Serie universala - fara usa fata/usa spate, panouri laterale**

Rc-20-66	Cadru rack 19" / 20 U / 600 x 600 mm
Rc-24-66	Cadru rack 19" / 24 U / 600 x 600 mm
Rc-27-66	Cadru rack 19" / 27 U / 600 x 600 mm
Rc-30-66	Cadru rack 19" / 30 U / 600 x 600 mm
Rc-33-66	Cadru rack 19" / 33 U / 600 x 600 mm
Rc-36-66	Cadru rack 19" / 36 U / 600 x 600 mm
Rc-42-66	Cadru rack 19" / 42 U / 600 x 600 mm
Rc-45-66	Cadru rack 19" / 45 U / 600 x 600 mm
Rc-47-66	Cadru rack 19" / 47 U / 600 x 600 mm
Rc-20-68	Cadru rack 19" / 20 U / 600 x 800 mm
Rc-24-68	Cadru rack 19" / 24 U / 600 x 800 mm
Rc-27-68	Cadru rack 19" / 27 U / 600 x 800 mm
Rc-30-68	Cadru rack 19" / 30 U / 600 x 800 mm
Rc-33-68	Cadru rack 19" / 33 U / 600 x 800 mm
Rc-36-68	Cadru rack 19" / 36 U / 600 x 800 mm
Rc-42-68	Cadru rack 19" / 42 U / 600 x 800 mm
Rc-45-68	Cadru rack 19" / 45 U / 600 x 800 mm
Rc-47-68	Cadru rack 19" / 47 U / 600 x 800 mm
Rc-20-610	Cadru rack 19" / 20 U / 600 x 1000 mm
Rc-24-610	Cadru rack 19" / 24 U / 600 x 1000 mm
Rc-27-610	Cadru rack 19" / 27 U / 600 x 1000 mm

Rc-30-610	Cadru rack 19" / 30 U / 600 x 1000 mm
Rc-33-610	Cadru rack 19" / 33 U / 600 x 1000 mm
Rc-36-610	Cadru rack 19" / 36 U / 600 x 1000 mm
Rc-42-610	Cadru rack 19" / 42 U / 600 x 1000 mm
Rc-45-610	Cadru rack 19" / 45 U / 600 x 1000 mm
Rc-47-610	Cadru rack 19" / 47 U / 600 x 1000 mm
Rc-20-78	Cadru rack 19" / 20 U / 700 x 800 mm
Rc-24-78	Cadru rack 19" / 24 U / 700 x 800 mm
Rc-27-78	Cadru rack 19" / 27 U / 700 x 800 mm
Rc-30-78	Cadru rack 19" / 30 U / 700 x 800 mm
Rc-33-78	Cadru rack 19" / 33 U / 700 x 800 mm
Rc-36-78	Cadru rack 19" / 36 U / 700 x 800 mm
Rc-42-78	Cadru rack 19" / 42 U / 700 x 800 mm
Rc-45-78	Cadru rack 19" / 45 U / 700 x 800 mm
Rc-47-78	Cadru rack 19" / 47 U / 700 x 800 mm
Rc-20-88	Cadru rack 19" / 20 U / 800 x 800 mm
Rc-24-88	Cadru rack 19" / 24 U / 800 x 800 mm
Rc-27-88	Cadru rack 19" / 27 U / 800 x 800 mm
Rc-30-88	Cadru rack 19" / 30 U / 800 x 800 mm
Rc-33-88	Cadru rack 19" / 33 U / 800 x 800 mm
Rc-36-88	Cadru rack 19" / 36 U / 800 x 800 mm
Rc-42-88	Cadru rack 19" / 42 U / 800 x 800 mm
Rc-45-88	Cadru rack 19" / 45 U / 800 x 800 mm
Rc-47-88	Cadru rack 19" / 47 U / 800 x 800 mm
Rc-20-810	Cadru rack 19" / 20 U / 800 x 1000 mm
Rc-24-810	Cadru rack 19" / 24 U / 800 x 1000 mm
Rc-27-810	Cadru rack 19" / 27 U / 800 x 1000 mm
Rc-30-810	Cadru rack 19" / 30 U / 800 x 1000 mm
Rc-33-810	Cadru rack 19" / 33 U / 800 x 1000 mm
Rc-36-810	Cadru rack 19" / 36 U / 800 x 1000 mm
Rc-42-810	Cadru rack 19" / 42 U / 800 x 1000 mm
Rc-45-810	Cadru rack 19" / 45 U / 800 x 1000 mm
Rc-47-810	Cadru rack 19" / 47 U / 800 x 1000 mm

**Open rack 19" -montaj de pardoseala -
Serie universala - fara usa fata/usa spate, cu panouri laterale**

Ro-20-66	Open rack 19" / 20 U / 600 x 600 mm
Ro-24-66	Open rack 19" / 24 U / 600 x 600 mm
Ro-27-66	Open rack 19" / 27 U / 600 x 600 mm
Ro-30-66	Open rack 19" / 30 U / 600 x 600 mm
Ro-33-66	Open rack 19" / 33 U / 600 x 600 mm
Ro-36-66	Open rack 19" / 36 U / 600 x 600 mm
Ro-42-66	Open rack 19" / 42 U / 600 x 600 mm
Ro-45-66	Open rack 19" / 45 U / 600 x 600 mm
Ro-47-66	Open rack 19" / 47 U / 600 x 600 mm
Ro-20-68	Open rack 19" / 20 U / 600 x 800 mm
Ro-24-68	Open rack 19" / 24 U / 600 x 800 mm
Ro-27-68	Open rack 19" / 27 U / 600 x 800 mm
Ro-30-68	Open rack 19" / 30 U / 600 x 800 mm
Ro-33-68	Open rack 19" / 33 U / 600 x 800 mm
Ro-36-68	Open rack 19" / 36 U / 600 x 800 mm
Ro-42-68	Open rack 19" / 42 U / 600 x 800 mm
Ro-45-68	Open rack 19" / 45 U / 600 x 800 mm
Ro-47-68	Open rack 19" / 47 U / 600 x 800 mm
Ro-20-610	Open rack 19" / 20 U / 600 x 1000 mm

Ro-24-610	Open rack 19" / 24 U / 600 x 1000 mm
Ro-27-610	Open rack 19" / 27 U / 600 x 1000 mm
Ro-30-610	Open rack 19" / 30 U / 600 x 1000 mm
Ro-33-610	Open rack 19" / 33 U / 600 x 1000 mm
Ro-36-610	Open rack 19" / 36 U / 600 x 1000 mm
Ro-42-610	Open rack 19" / 42 U / 600 x 1000 mm
Ro-45-610	Open rack 19" / 45 U / 600 x 1000 mm
Ro-47-610	Open rack 19" / 47 U / 600 x 1000 mm
Ro-20-78	Open rack 19" / 20 U / 700 x 800 mm
Ro-24-78	Open rack 19" / 24 U / 700 x 800 mm
Ro-27-78	Open rack 19" / 27 U / 700 x 800 mm
Ro-30-78	Open rack 19" / 30 U / 700 x 800 mm
Ro-33-78	Open rack 19" / 33 U / 700 x 800 mm
Ro-36-78	Open rack 19" / 36 U / 700 x 800 mm
Ro-42-78	Open rack 19" / 42 U / 700 x 800 mm
Ro-45-78	Open rack 19" / 45 U / 700 x 800 mm
Ro-47-78	Open rack 19" / 47 U / 700 x 800 mm
Ro-20-88	Open rack 19" / 20 U / 800 x 800 mm
Ro-24-88	Open rack 19" / 24 U / 800 x 800 mm
Ro-27-88	Open rack 19" / 27 U / 800 x 800 mm
Ro-30-88	Open rack 19" / 30 U / 800 x 800 mm
Ro-33-88	Open rack 19" / 33 U / 800 x 800 mm
Ro-36-88	Open rack 19" / 36 U / 800 x 800 mm
Ro-42-88	Open rack 19" / 42 U / 800 x 800 mm
Ro-45-88	Open rack 19" / 45 U / 800 x 800 mm
Ro-47-88	Open rack 19" / 47 U / 800 x 800 mm
Ro-20-810	Open rack 19" / 20 U / 800 x 1000 mm
Ro-24-810	Open rack 19" / 24 U / 800 x 1000 mm
Ro-27-810	Open rack 19" / 27 U / 800 x 1000 mm
Ro-30-810	Open rack 19" / 30 U / 800 x 1000 mm
Ro-33-810	Open rack 19" / 33 U / 800 x 1000 mm
Ro-36-810	Open rack 19" / 36 U / 800 x 1000 mm
Ro-42-810	Open rack 19" / 42 U / 800 x 1000 mm
Ro-45-810	Open rack 19" / 45 U / 800 x 1000 mm
Ro-47-810	Open rack 19" / 47 U / 800 x 1000 mm
Panouri 19" - simpla rama	
P-24-19	Panou 19" / 24 U
P-27-19	Panou 19" / 27 U
P-33-19	Panou 19" / 33 U
P-42-19	Panou 19" / 42 U
P-45-19	Panou 19" / 45 U
Panouri 19" - dubla rama	
PD-24-66	Panou 19" / 24 U / 600 x 600 mm
PD-27-66	Panou 19" / 27 U / 600 x 600 mm
PD-33-66	Panou 19" / 33 U / 600 x 600 mm
PD-42-66	Panou 19" / 42 U / 600 x 600 mm
PD-45-66	Panou 19" / 45 U / 600 x 600 mm
PD-42-610	Panou 19" / 42 U / 600 x 1000 mm
Cabinete 21" Serie specializata - acces fata spate si lateral	
D21-80-63	Cabinet 21"/19" / 80SU / 600 x 300 mm
Re21-80-63	Cadru rack 21"/19"/80SU / 600 x 300 mm
D21-80-63 EL	Dulap 19"/21" cu contrapanou pt. echipamente electrice / 80 SU/600x300 mm

Accesorii 19" - electrice -

Placa alimentare	20A, 220 V, intr. automat monopolar sau bipolar 20A, lampa tensiune
Placa alimentare	30A, 220 V, intr. automat monopolar sau bipolar 20A, lampa tensiune
PLE-66/68/88	Placa lampa neon complet echipata, 600x600 mm; 600x800 mm; 800x800 mm
PTE/1v	Placa termostata complet echipata, 600x600 mm, 1 ventilator, termostat 5÷60 ⁰ C - pentru montaj in gama cabinetilor 6U÷15U
PTE/2v	Placa termostata complet echipata, 600x600 mm, 2 ventilator, termostat 5÷60 ⁰ C - pentru montaj in gama cabinetilor 6U÷15U
PVE-66/1v	Placa ventilatie complet echipata, 600 x 600 mm, 1 ventilator, termostat 5÷60 ⁰ C
PVE-66/2v	Placa ventilatie complet echipata, 600 x 600 mm, 2 vent., termostat 5÷60 ⁰ C
PVE-66/3v	Placa ventilatie complet echipata, 600 x 600 mm, 3 vent., termostat 5÷60 ⁰ C
PVE-68/2v	Placa ventilatie complet echipata, 600 x 800 mm, 2 vent., termostat 5÷60 ⁰ C
PVE-68/4v	Placa ventilatie complet echipata, 600 x 800 mm, 4 vent., termostat 5÷60 ⁰ C
PVE-68/6v	Placa ventilatie complet echipata, 600 x 800 mm, 6 vent., termostat 5÷60 ⁰ C
PVE-78/2v	Placa ventilatie complet echipata, 700 x 800 mm, 2 vent., termostat 5÷60 ⁰ C
PVE-78/4v	Placa ventilatie complet echipata, 700 x 800 mm, 4 vent., termostat 5÷60 ⁰ C
PVE-78/6v	Placa ventilatie complet echipata, 700 x 800 mm, 6 vent., termostat 5÷60 ⁰ C
PVE-88/2v	Placa ventilatie complet echipata, 800 x 800 mm, 2 vent., termostat 5÷60 ⁰ C
PVE-88/4v	Placa ventilatie complet echipata, 800 x 800 mm, 4 vent., termostat 5÷60 ⁰ C
PVE-88/6v	Placa ventilatie complet echipata, 800 x 800 mm, 6 vent., termostat 5÷60 ⁰ C
PVE-610/2v	Placa ventilatie complet echipata, 600 x 1000 mm, 2 vent., termostat 5÷60 ⁰ C
PVE-610/4v	Placa ventilatie complet echipata, 600 x 1000 mm, 4 vent., termostat 5÷60 ⁰ C
PVE-610/6v	Placa ventilatie complet echipata, 600 x 1000 mm, 6 vent., termostat 5÷60 ⁰ C
PVE-810/2v	Placa ventilatie complet echipata, 800 x 1000 mm, 2 vent., termostat 5÷60 ⁰ C
PVE-810/4v	Placa ventilatie complet echipata, 800 x 1000 mm, 4 vent., termostat 5÷60 ⁰ C
PVE-810/6v	Placa ventilatie complet echipata, 800 x 1000 mm, 6 vent., termostat 5÷60 ⁰ C
MV-66/2v	Modul ventilatie complet echipat, 600 x 600 mm, 2 vent., termostat 5÷60 ⁰ C
MV-66/4v	Modul ventilatie complet echipat, 600 x 600 mm, 4 vent., termostat 5÷60 ⁰ C
MV-66/6v	Modul ventilatie complet echipat, 600 x 600 mm, 6 vent., termostat 5÷60 ⁰ C
MV-68/88/2v	Modul ventilatie complet echipat, 600 x 800 mm; 800 x 800 mm, 2 vent., termostat 5÷60 ⁰ C
MV-68/88/4v	Modul ventilatie complet echipat, 600 x 800 mm; 800 x 800 mm, 4 vent., termostat 5÷60 ⁰ C
MV-68/88/6v	Modul ventilatie complet echipat, 600 x 800 mm; 800 x 800 mm, 6 vent., termostat 5÷60 ⁰ C
MV-610/810/2v	Modul ventilatie complet echipat, 600 x 1000 mm; 800 x 1000 mm, 2 vent., termostat 5÷60 ⁰ C
MV-610/810/4v	Modul ventilatie complet echipat, 600 x 1000 mm; 800 x 1000 mm, 4 vent., termostat 5÷60 ⁰ C
MV-610/810/6v	Modul ventilatie complet echipat, 600 x 1000 mm; 800 x 1000 mm, 6 vent., termostat 5÷60 ⁰ C
PTS18P	Priza multipla 19" Profesionala trifazata, carcasa aluminiu eloxat, cu 3x6 prize schuko, culori gri, negru, rosu, 3x16A, montare verticala, lungime 948,5 mm, cordon alimentare 3m, H05W-F5G2,5
PTS36P	Priza multipla 19" Profesionala trifazata, carcasa aluminiu eloxat, cu 3x12 prize schuko culori gri, negru, rosu, 3x16A, montare verticala, lungime 1.713 mm, cordon alimentare 3m, H05W-F5G2,5
PTU18P	Bara alimentare trifazata, carcasa aluminiu eloxat, cu 3x6 prize IEC 320 C13, culori gri, negru, rosu, dispozitiv IEC pt blocare, 3x16A, montare verticala, lungime 922 mm, cordon alimentare 3m, H05W-F5G2,5
PTU42P	Bara alimentare trifazata, carcasa aluminiu eloxat, cu 3x12 prize IEC 320 C13, culori gri, negru, rosu, 3x2 prize IEC320 C19, 16A, 3x16A, montare verticala, lungime 1.519 mm, cordon alimentare 3m, H05W-F5G2,5
PS4P	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 4 doze schuco, F3G1,5mm ² - 2 m, stecher schuco sau mufa UPS
PS6P	Priza multipla 19" 230V/16A, 1U, carcasa polipropilena rezistenta la foc, 6 doze schuco la 90 ⁰ , F3G1,5mm ² - 2 m, stecher schuco sau mufa UPS
PS8P	Priza multipla 19" Profesionala, carcasa polipropilena rezistenta la foc, 230V/16A, Pi = 3,6 kW, 8 doze schuco, F3G1,5mm ² - 2 m, stecher schuco sau mufa UPS
PS9P	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 9 doze schuco, F3G1,5mm ² - 2 m, stecher schuco sau mufa UPS
PS7C	Priza multipla 19" Profesionala, carcasa polipropilena rezistenta la foc, 230V/16A, Pi = 3,6 kW, 7 doze

	schuco, comutator cu bec functionare, F3G1,5mm ² - 2 m, cu stecher schuco sau mufa UPS
PS8C	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 8 doze schuco, comutator cu bec functionare, F3G1,5mm ² - 2 m, cu stecher schuco sau mufa UPS
PS8S	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 8 doze schuco, cu sigurante, F3G1,5mm ² - 2 m, cu stecher schuco sau mufa UPS
PS7SC	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 7 doze schuco, cu sigurante si comutator cu bec functionare, F3G1,5mm ² - 2 m, cu stecher schuco sau mufa UPS
PS6SF	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 6 doze schuco, cu sigurante, filtru de retea, F3G1,5mm ² - 2 m, cu stecher schuco sau mufa UPS
PS5SCF	Priza multipla 19" Profesionala, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 5 doze schuco, cu sigurante, comutator cu bec functionare si filtru de retea, F3G1,5mm ² , cu stecher schuco sau mufa UPS
PS12PV	Powerbar, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 12 doze schuco, lungime 565 mm, cu prindere verticala, cablu alimentare tip F3G1,5mm ² - 2 m cu stecher schuco sau mufa UPS
PS12PVL	Powerbar, carcasa aluminiu eloxat, 230V/16A, Pi = 3,6 kW, 12 doze schuco, lungime 1072 mm, 85 mm distanta intre doze, cu prindere verticala, cablu alimentare tip F3G1,5mm ² - 2 m cu stecher schuco sau mufa UPS
PU8S	Priza multipla 19" 230V/10A, Pi = 3,6 kW, 8 prize UPS IEC 320 C13, cu sigurante, F3G1,5mm ² - 1,6 m, cu stecher schuco sau mufa UPS
PIU/8	Bloc de alimentare multipla 8 prize UPS /8 sig./2A/8 lampi semnalizare functionare/Alim:230V/16A/2 sig.16A/filtru retea
PIU/10	Bloc de alimentare multipla 10 prize UPS /10 sig. fuzibile/2A/10 lampi semnaliz. functionare/Alim:230V±10%/50 Hz±2%
Accesorii 19" - mecanice -	
RC 19"/140	Raft consola 140 mm / 1U
RC 19"/200	Raft consola 200 mm / 1U
RC 19"/300	Raft consola 300 mm / 1U
RC 19"/230	Raft consola 230 mm / 2U
RC 19"/350	Raft consola 350 mm / 2U
RC 19"/400	Raft consola 400 mm / 2U
RFU-N/66-25	Raft fix universal 600x 600 mm pt incarcare max 25 kg
RFU-N/68/88-25	Raft fix universal 600x 800 mm; 800 x 800 mm pt incarcare max 25 kg
RFU-N/610/810-25	Raft fix universal 600x 1000 mm; 800 x 1000 mm pt incarcare max 25 kg
RFU-N/66-70	Raft fix universal 600x 600 mm pt incarcare max 70 kg
RFU-N/68/88-70	Raft fix universal 600x 800 mm; 800 x 800 mm pt incarcare max 70 kg
RFU-N/610/810-70	Raft fix universal 600x 1000 mm; 800 x 1000 mm pt incarcare max 70 kg
RFU-N/66-120	Raft fix universal 600x 600 mm pt incarcare max 120 kg
RFU-N/68/88-120	Raft fix universal 600x 800 mm; 800 x 800 mm pt incarcare max 120 kg
RFU-N/610/810-120	Raft fix universal 600x 1000 mm; 800 x 1000 mm pt incarcare max 120 kg
RAU-N/66	Raft ajustabil universal 450 ÷ 550 mm / 600 x 600 mm
RAU-N/68/88	Raft ajustabil 600 ÷ 750 mm / 600 x 800; 800 x 800 mm
RAU-N/610/810	Raft ajustabil universal 800 ÷ 950mm/ 600x1000 800x1000mm
RFM-N/66	Raft fix monitor 600x 600 mm
RFM-N/68/88	Raft fix monitor 600x800 mm; 800x800 mm
RFM-N/610/810	Raft fix monitor 600x1000 mm; 800x1000 mm
RMT-N/66	Raft mobil tastatura 600x 600 mm
RMT-N/68,88	Raft mobil tastatura 600x 800 mm; 800 x 800 mm;
RMT-/610,810	Raft mobil tastatura 600x 1000 mm; 800 x 1000 mm;
RTU-/66,68,88	Raft tastatura universal 600x 800 mm; 800 x 800 mm;
RMU-N/66	Raft mobil universal 600x 600 mm
RMU-N/68,88	Raft mobil universal 600x 800 mm; 800 x 800 mm;

RMU-/610/810	Raft mobil universal 600x1000 mm; 800x1000 mm
PA-1U	Panou umplere 1U
PA-2U	Panou umplere 2U
PA-3U	Panou umplere 3U
PA-4U	Panou umplere 4U
G/server/ UPS	Ghidaj server/UPS / 600 x 600 / 600 x 800 / 800 x 800 mm
GS - 6	Ghidaj pentru subrack-uri 600 mm, l = 400 mm
GS - 8	Ghidaj pentru subrack-uri 800 mm, l = 600 mm
GS - 10	Ghidaj pentru subrack-uri 1000 mm, l =800 mm
GC-1	Ghidaj cabluri orizontal /prindere 19" , h=65 mm/19", 32 decupari
WM19	Wire manager orizontal /prindere 19", 1 U, 5 cleme metalice
GC-3	Ghidaj cabluri - clema metalica 43 x 15 mm
GC-4	Ghidaj cabluri - clema metalica 80 x 15 mm
C 45	Ghidaj cabluri - clema plastic 40 x 50 mm
C 48	Ghidaj cabluri - clema plastic 40 x 80 mm
GC-5	Ghidaj cabluri vertical, 20 U, l = 865 mm, 9 cleme metalice 40x40 mm
GC-7	Ghidaj cabluri vertical, 15 U, l = 700 mm, 8 cleme metalice 40x40 mm
GC-11	Ghidaj cabluri vertical, 20 U, l = 865 mm, 5 cleme metalice 100x110 mm pt cabineti > 42U cu sectiuni de 800x800 si 800x1000 mm
GOC	Ghidaj cabluri orizontal/prindere 19" cu capac
GO-45-4	Ghidaj cabluri orizontal/prindere 19", 1U, 4 cleme plastic 40 x 50 mm
GO-45-8	Ghidaj cabluri orizontal/prindere 19", 1U, 8 cleme plastic 40 x 50 mm
GO-48-4	Ghidaj cabluri orizontal/prindere 19", 1U, 4 cleme plastic 40 x 80 mm
GO-48-8	Ghidaj cabluri orizontal/prindere 19", 1U, 8 cleme plastic 40 x 80 mm
GV-45-4	Ghidaj cabluri vertical, 9U, 4 cleme plastic 40 x 50 mm
GV-45-6	Ghidaj cabluri vertical, 16U, 6 cleme plastic 40 x 50 mm
GV-45-8	Ghidaj cabluri vertical, 18U, 8 cleme plastic 40 x 50 mm
GV-48-4	Ghidaj cabluri vertical, 9U, 4 cleme plastic 40 x 80 mm
GV-48-6	Ghidaj cabluri vertical, 16U, 6 cleme plastic 40 x 80 mm
GV-48-8	Ghidaj cabluri vertical, 18U, 8 cleme plastic 40 x 80 mm
OCV-42	Organizator de cabluri vertical, 42 U, pt. montare pe panou
OCSN-42	Organizator de cabluri vertical, 42 U, pt. montare in cabinet
GFO-19	Ghidaj fibra optica
KM-02/M6	Kit montaj 02 M6-suruburi cap bombat, piulite colivie, saibe plastic - 25 seturi
KA - 1U	Kit adaptor 21" - 19" / 1U
KA - 2U	Kit adaptor 21" - 19" / 2U
KA - 3U	Kit adaptor 21" - 19" / 3U
KA - 4U	Kit adaptor 21" - 19" / 4U
KA - 5U	Kit adaptor 21" - 19" / 5U
KA - 6U	Kit adaptor 21" - 19" / 6U
KA - 42U	Kit adaptor 21" - 19" / 42U
KA - 45U	Kit adaptor 21" - 19" / 45U
KI	Kit impamantare
BI 19	Bara Cu 5 x 15 mm, orizontala prindere 19"
BI 19 A	Bara Cu 5 x 20 mm, orizontala prindere 19"
BI 19 B	Bara Cu 5 x 25 mm, orizontala prindere 19"
SRP 150/1	Set roti pivotante / 4 roti fara frana -optiune 150 kg
SRP 150/2	Set roti pivotante / 2 roti fara frana, 2 roti cu frana -optiune 150 kg
SRP 150/3	Set roti pivotante / 4 roti cu frana -optiune 150 kg
SRP 250/1	Set roti pivotante / 4 roti fara frana -optiune 250 kg
SRP 250/2	Set roti pivotante / 2 roti fara frana, 2 roti cu frana -optiune 250 kg
SRP 250/3	Set roti pivotante / 4 roti cu frana -optiune 250 kg
SRP 600/1	Set roti pivotante / 4 roti fara frana -optiune 600 kg

SRP 600/2	Set roti pivotante / 2 roti fara frana, 2 roti cu frana -optiune 600 kg
SRP 600/3	Set roti pivotante / 4 roti cu frana -optiune 600 kg
SRA	Set roti cu ax / 4 roti fara frana - optiune 150 kg
	Montant 19" / ml
	Termostat 5÷60 ⁰ C
	Ventilator, 120x120x38 mm, 230 V, 2700 rpm, 2.690 l/min, 44 dB
	Glisiere, l=600 mm, cursa 600 mm, 2 buc/set
	Glisiere, l=400 mm, cursa 400 mm, 2 buc/set
	Yala 103-25

UPSuri 19" Meta System

	UPS modular Megaline 19" 6U monofazat, online, dubla conversie, 2500 VA, autonomie 11 min
	UPS modular Megaline 19" 6U monofazat, online, dubla conversie, 3750 VA, autonomie 11 min
	UPS modular Megaline 19" 6U monofazat, online, dubla conversie, 5000 VA, autonomie 11 min
	Modul power upgrade 1250 VA (include baterii)
	Rail kit 19" - Rack mounting kit
	UPS compact Daker, DK 1000 VA, 19" 2U monofazat, online, dubla conversie, autonomie 10 min
	UPS compact Daker, DK 2000 VA, 19" 2U monofazat, online, dubla conversie, autonomie 10 min
	UPS compact Daker, DK 3000 VA, 19" 2U monofazat, online, dubla conversie, autonomie 10 min
	Rail kit 19" - Rack mounting kit
	UPS compact, WHAD 19", 1U, 1000 VA, monofazat online, dubla conversie, autonomie 10 min
	UPS compact, WHAD 19", 2U, 1500 VA, monofazat online, dubla conversie, autonomie 17 min

Servicii

Taiere laser in 2D folosind centrul de prelucrare TRU LASER TLF 3200W
Debitare table cu grosimi pana la 3 mm
Stantare folosind centre de prelucrare TRUMATIC TC 200R si TRUMATIC TC 3000R
Vopsire cu pudra epoxipoliesterica folosind tehnologie GEMA - Elvetia
Transport cu moto-stivuitor 1 t si 3 t